AUTHORS INDEX

Allen, R.: A distributed computer network utilizing microcomputer technology for on-line data processing in clinical monitoring and medical research, 299

Bajd, T. and Kralj, A.: Simple kinematic gait measurements, 129

Ballal, M.A., *see*: Hoodless, D.J., Macdonald, I.A., Ballal, M.A. and Blecher, Avrille

Basar, E., Gonder, A. and Ungan, P.: Comparative frequency analysis of single EEG-evoked potential records, 9

Beagley, H.A., *see*: Ross, A.J., Beagley, H.A. and Sayers, B. Mc. A.

Benassi, A., *see*: De Rossi, D., Benassi, A., L'Abbate, A. and Dario, P.

Benzing, George III; Iltis, Rumult; Helmsworth, James A.: Schreiber, Tracy and Kaplan, Samuel: Measurement of the ohmic electrode-tissue contact resistance and the voltage applied to myocardium, 3

Berme, N., *see*: Purves, W.K. and Berme, N.

Blecher, Avrille, *see*: Hoodless, D.J., Macdonald, I.A., Ballal, M.A. and Blecher, Avrille

Bose, K.S., *see*: Ghosh, A.K., Tibarewala, D.N., Chakraborty, S., Ganguli, S. and Bose, K.S.

Bratina, W.J., *see*: Pilliar, R.M. and Bratina, W.J.

Campbell, Karen, MacNeill, Ian and Patrick, John: Time series analysis of human foetal breathing activity at 30-39 weeks gestation, 108

Cavanagh, J.B., *see*: Ellis, T.J., Rosen, D., and Cavanagh, J.B.

Chakraborty, S., *see*: Ghosh, A.K., Tibarewala, D.N., Chakraborty, S., Ganguli, S. and Bose, K.S.

Chamberlain, D.A., *see*: Vincent, R., English M.J., Mackintosh, A.F., Stroud, N., Chamberlain, D.A. and Woollons, D.J.

Chang, Ramsay L.S.; Crawford, Marvin P. and West, Melanie, D.: An assessment of the potential use of anionic dextrans as a plasma substitute, 41

Christel, P., *see*: Sedel, L., Christel, P., Dewas, J., de Charentenay, F.X. and Leray, J.

Cohen, Amon and Graupe, Daniel: Speech recognition and control system for the severely disabled, 97

Couvreur, Michel C., *see*: Vasseur, Christian P.A.; Couvreur, Michel C.; Toulotte, Jean-Marc and Dubois, Olivier

Crawford, Marvin P., *see*: Chang, Ramsay L.S., Crawford, Marvin P. and West, Melanie D.

Dario, P., *see*: De Rossi, D., Benassi, A., L'Abbate, A. and Dario, P.

de Charentenay, F.X., *see*: Sedel, L., Christel, P., Dewas, J., de Charentenay, F.X. and Leray, J.

Dehl, G., *see*: Duchting, W. and Dehl, G.

De Rossi, D., Benassi, A., L'Abbate, A. and Dario, P.: A new fibre-optic liquid crystal catheter for oxygen saturation and blood flow measurements in the Coronary Sinus, 257

Dewas, J., *see*: Sedel, L., Christel, P., Dewas, J., de Charentenay, F.X. and Leray, J.

Dubois, Olivier, *see*: Vasseur, Christian P.A.; Couvreur, Michel C.; Toulotte, Jean-Marc and Dubois, Olivier

Duchting, W. and Dehl, G.: Computer studies of the spatial structure and temporal growth of tumor cells, 167

Durie, N.D. and Farley, R.L.: An apparatus for step length measurement, 38

Ellis, T.J., Rosen, D. and Cavanagh, J.B.: Automated measurement of peripheral nerve fibres in transverse section, 272

English, M.J., *see*: Vincent, R., English, M.J., Mackintosh, A.F., Stroud, N., Chamberlain, D.A. and Woollons, D.J.

Evans, E.J. and Stiles, P.J.: The Guildford elbow joint, 205

Farley, R.L., *see*: Durie, N.D. and Farley, R.L.

Ferman, A.M., *see*: Heath, M.R., Ferman, A.M. and Mollard, R.

Ferman, A.M., *see*: Heath, M.R., Ferman, A.M. and Sussman, H.

Ganguli, S., *see*: Ghosh, A.K., Tibarewala, D.N., Chakraborty, S., Ganguli, S. and Bose, K.S.

Ghosh, A.K., Tibarewala, D.N., Chakraborty, S., Ganguli, S. and Bose, K.S.: An improved approach for performance evaluation in lower extremity involvement, 121

Gifford, C. and Hutton, W.C.: A microprocessor controlled system for evaluating treatments for disabilities affecting the lower limbs, 45

Godry, Adam, *see*: Simonyi, Janos; Lehoczky, Janos; Herpai, Szolt; Godry, Adam and Szauder, Ipoly

Gonder, A., *see*: Basar, E., Gonder, A. and Ungan, P.

Grant, L.J. and Perkins, M.A.: Portable aversion therapy stimulator, 135

Graupe, Daniel, *see*: Cohen, Amon and Graupe, Daniel

Griffiths, J.C., Henshaw, J.T., Heywood, O.B. and Taylor, A.G.: The paraplegic swivel walker – clinical applications, 250

Hancox, A.J., Loughnane, R.J. and Scrimshire, D.A.: A method of determining some non-standard Laplace transformations, 137

Heath, M.R., Ferman, A.M. and Mollard, R.: Electropalatography: Thermoformed pseudopalates and the use of three-dimensional display, 145

Heath, M.R., Ferman, A.M. and Sussman, H.: Photo-electric recording of orofacial posture and movement providing linear, digital output, 201

Helmsworth, James A. *see*: Benzing, George III; Iltis, Rumult; Helmsworth, James A.; Schreiber, Tracy and Kaplan, Samuel

Henshaw, J.T., *see*: Griffiths, J.C., Henshaw, J.T., Heywood, O.B. and Taylor, A.G.

Herbert, Peter, *see*: Rithalia, Shyam V.S., Hewer, Austin J.H., Tinker, Jack and Herbert, Peter

Herpai, Zsolt, *see*: Simonyi, Janos; Lehoczky, Janos; Herpai, Zsolt; Godry, Adam and Szauder, Ipoly

Hewer, Austin J.H., *see*: Rithalia, Shyam V.S., Hewer, Austin J.H., Tinker, Jack and Herbert, Peter

Heywood, O.B., *see*: Griffiths, J.C., Henshaw, J.T., Heywood, O.B. and Taylor, A.G.

Hoodless, D.J., Macdonald, I.A., Ballal, M.A. and Blecher, Avrille: A portable physiological data recording/decoding system, 193

Hutton, W.C., *see*: Gifford, C. and Hutton, W.C.

Jackson, S.A.: A film badge dosimeter for UVA radiation, 63

Jaffe, Michael B., *see*: Lundy, Joseph R., Jaffe, Michael B. and Samek, Donald E.

Jenkins, H., *see*: Marvell, C.J., Kirk, D.L., Jenkins, H. and Symonds, E.M.

Iltis, Rumult, *see*: Benzing, George III; Iltis, Rumult; Helmsworth, James A.; Schreiber, Tracy and Kaplan, Samuel

Kaplan, Samuel, *see*: Benzing, George III; Iltis, Rumult; Helmsworth, James A.: Schreiber, Tracy and Kaplan, Samuel

Khadeer, M.A., *see*: Ramana, Y.V., Krishna, G. Gopala and Khadeer, M.A.

Khosla, S., *see*: Tandon, S.N., Singh, S., Sharma, P.K. and Khosla, S., Kirk, D.L., *see*: Marvell, C.J. and Kirk, D.L.

Kirk, D.L., *see*: Marvell, C.J. and Kirk, D.L. Jenkins, H. and Symonds, E.M.

Kralj, A., *see*: Bajd, T. and Kralj, A.

Koushanpour, Esmail and McAuley, John W.: Systems analysis of renal response to increasing levels of acute forced hyperventilation in dogs, 25

Krishna, G. Gopala, *see*: Ramana, Y.V., Krishna, G. Gopala and Khadeer, M.A.

L'Abbate, A., *see*: De Rossi, D., Benassi, A., L'Abbate, A., and Dario, P.

Lauboeck, H.: The conditions of mitral valve closure, 93

Lauboeck, H.: Echocardiographic study of the isovolumetric contraction time, 281

Lehoczky, Janos, *see*: Simonyi, Janos; Lehoczky, Janos; Herpai, Zsolt; Godry, Adam and Szauder, Ipoly

Leray, J., *see*: Sedal, L., Christel, P., Dewas, J., de Charentenay, F.X. and Leray, J.

Loughnane, R.J., *see*: Hancox, A.J., Loughnane, R.J. and Scrimshire, D.A.

Lundy, Joseph R., Jaffe, Michael B. and Samek, Donald E.: The detection of preclinical coronary artery disease in male subjects using the omnigram, 113

McAuley, John W., *see*: Koushanpour, Esmail and McAuley, John W.

Macdonald, I.A., *see*: Hoodless, D.J., Macdonald, I.A., Ballal, M.A. and Blecher, Avrille

Mackintosh, A.F., *see*: Vincent, R., English, M.J., Mackintosh, A.F., Stroud, N., Chamberlain, D.A. and Woollons, D.J.

MacNeill, Ian, *see*: Campbell, Karen; MacNeill, Ian and Patrick, John

Marvell, C.J. and Kirk, D.L.: A simple software routine for the reproducible processing of the electrocardiogram, 216

Marvell, C.J. and Kirk, D.L.: Use of a microprocessor to simulate precise electrocardiograms, 61

Marvell, C.J., Kirk, D.L., Jenkins, H. and Symonds, E.M.: The use of labour profiles in assessing the behaviour of the fetal electrocardiogram, 221

Mollard, R., *see*: Heath, M.R., Ferman, A.M. and Mollard, R.

Nightingale, J.M., *see*: Swain, I.D. and Nightingale, J.M.

Patrick, John, *see*: Campbell, Karen; Macneill, Ian and Patrick, John

Perkins, M.A., *see*: Grant, L.J. and Perkins, M.A.

Pilliar, R.M. and Bratina, W.J.: Micromechanical bonding at a porous surface structured implant interface – the effect on implant stressing, 49

Purves, W.K. and Berme, N.: Resultant finger joint loads in selected activities, 285
Ramana, Y.V., Krishna, G. Gopala and Khadeer, M.A.: Shear velocity of muscle tissues, 211
Rithalia, Shyam, V.S., Hewer, Austin J.H., Tinker, Jack and Herbert, Peter: Continuous tissue pH measurement in critically ill adults with a miniaturized glass electrode, 126
Rosen, D., *see*: Ellis, T.J., Rosen, D. and Cavanagh, J.B.
Ross, A.J., Beagley, H.A. and Sayers, B. Mc. A.: Signal statistics in objective Auditory evoded potential (AEP) detection by the phase spectral method, 311
Samek, Donald E., *see*: Lundy, Joseph R., Jaffe, Michael B. and Samek, Donald E.
Sayers, B. Mc. A., *see*: Ross, A.J., Beagley, H.A. and Sayers, B. Mc. A.
Schreiber, Tracy, *see*: Benzing, George III; Iltis, Rumult; Helmsworth, James A.; Schreiber, Tracy and Kaplan, Samuel
Schulberg, Monty: Free field pure tone audiometry as a comparative system for the assessment and fitting of hearing aids, 197
Scrimshire, D.A., *see*: Hancox, A.J., Loughnane, R.J. and Scrimshire, D.A.
Sedel, L., Christel, P., Dewas, J., de Charentenay, F.X. and Leray, J.: Comparison of the effects of intramedullary nailing or plating on the mechanical properties of fracture callus, 89
Shama, P.K., *see*: Tandon, S.N. and Shama, P.K.
Sharma, P.K., *see*: Tandon, S.N., Singh, S., Sharma, P.K. and Khosla, S.
Simonyi, Janos; Lehoczky, Janos; Herpai, Zsolt; Godry, Adam and Szauder, Ipoly: Computer evaluation of human circulation based on non-invasive methods, 177
Singh, S., *see*: Tandon, S.N., Singh, S., Sharma, P.K. and Khosla, S.
Stalberg, E.: Some electrophysiological methods for the study of human muscle, 290
Stiles, P.J., *see*: Evans, E.J. and Stiles, P.J.
Stroud, N., *see*: Vincent, R., English, M.J., Mackintosh, A.F., Stroud, N., Chamberlain, D.A. and Woollons, D.J.
Sussman, H., *see*: Heath, M.R., Ferman, A.M. and Sussman, H.
Swain, I.D. and Nightingale, J.M.: An adaptive control system for a complete hand/arm prosthesis, 163
Symonds, E.M., *see*: Marvell, C.J., Kirk, D.L., Jenkins, H. and Symonds, E.M.
Szauder, Ipoly, *see*: Simonyi, Janos; Lehoczky, Janos; Herpai, Zsolt; Godry, Adam and Szauder, Ipoly
Tandon, S.N.: Preamplifier circuit for heart rate meter, 224
Tandon, S.N. and Shama, P.K.: A versatile SAMI – a self contained digital heart beat counter, 133
Tandon, S.N., Singh, S., Sharma, P.K. and Khosla, S.: Optimization of carrier frequency and duty cycle for pulse modification of biological signals, 305
Taylor, A.G., *see*: Griffiths, J.C., Henshaw, J.T., Heywood, O.B. and Taylor, A.G.
Tibarewala, D.N., *see*: Ghosh, A.K., Tibarewala, D.N., Chakraborty, S., Ganguli, S. and Bose, K.S.
Tinker, Jack, *see*: Rithalia, Shyam V.S., Hewer, Austin J.H., Tinker, Jack and Herbert, Peter
Toulotte, Jean-Marc, *see*: Vasseur, Christian P.A.; Couvreur, Michel C.; Toulotte, Jean-Marc and Dubois, Olivier
Ungan, P., *see*: Basar, E., Gonder, A. and Ungan, P.
Vasseur, Christian, P.A.; Couvreur, Michel C.; Toulotte, Jean-Marc; and Dubois, Olivier: New concepts for a microprocessor-oriented long term intelligent monitoring of newborns, 185
Vincent, R., English, M.J., Mackintosh, A.F., Stroud, N., Chamberlain, D.A. and Woollons, D.J.: A flexible signal-averaging system for cardiac waveforms, 15
West, Melanie, D., *see*: Chang, Ramsay L.S., Crawford, Marvin P. and West, Melanie D.
Woollons, D.J., *see*: Vincent, R., English, M.J., Mackintosh, A.F., Stroud, N., Chamberlain, D.A. and Woollons, D.J.
Wright, K.W.J., *see*: Yettram, A.L. and Wright, K.W.J.
Yettram, A.L. and Wright, K.W.J.: Dependence of stem stress in total hip replacement on prosthesis and cement stiffness, 54

SUBJECT INDEX

Adaptive control system for a complete hand/arm prosthesis, 163
Anionic dextrans, assessment of the potential use of, as a plasma substitute, 41
Apparatus for step length measurement, 58
Artery disease, coronary, in male subjects, the detection of preclinical, using the omnigram, 113
Assessment of the potential use of anionic dextrans as a plasma substitute, 41
Audiometry, free field pure tone, as a comparative system for the assessment and fitting of hearing aids, 197
Auditory Evoked Potential (AEP) detection, objective, signal statistics in, by the phase spectral method, 310
Automated measurement of peripheral nerve fibres in transverse section, 272
Aversion therapy stimulator, portable, 135
Blood flow measurements and a new fibre-optic liquid crystal catheter for oxygen saturation in the coronary sinus, 257
Bonding, micromechanical, at a porous surface structured implant interface – the effect on implant stressing, 49
Cardiac waveforms, flexible signal-averaging systems for, 15
Carrier frequency and duty cycle, optimization of, for pulse modification of biological signals, 305
Catheter, a new fibre-optic liquid crystal for oxygen saturation and blood flow measurements in the coronary sinus, 257
Cement, dependence of stem stress in total hip replacement on prosthesis and, stiffness, 54
Circulation, human, computer evaluation of, based on non-invasive methods, 177
Clinical monitoring and medical research, a distribution computer network using microcomputers for on-line data processing in, 299
Comparative frequency analysis of single EEG-evoked potential records, 9
Comparison of the effects of intramedullary nailing or plating on the mechanical properties of fracture callus, 89
Computer evaluation of human circulation based on non-invasive methods, 177
Computer network, a distributed, using microcomputers for on-line data processing in clinical monitoring and medical research, 299
Computer studies of the spatial structure and temporal growth of tumor cells, 167
Conditions of mitral valve closure. 93
Continuous tissue pH measurement in critically ill adults with a miniaturized glass electrode, 126
Contraction time, isovolumetric, echocardiographic study of the, 281
Control system, an adaptive, for a complete hand/arm prothesis, 163
Control system, speech recognition and, for the severely disabled, 97
Coronary, preclinical artery disease in male subjects, detection of, using the omnigram, 113
Data recording/decoding system, physiological, a portable, 193
Dependence of stem stress in total hip replacement on prosthesis and cement stiffness, 54
Detection of preclinical coronary artery disease in male subjects using the omnigram, 113
Dextrans, anionic, as a plasma substitute, an assessment of the potential use of, 41
Digital heart beat counter, a self contained, a versatile SAMI, 133
Disabled, severely, speech recognition and control for the, 97
Distibuted computer network using microcomputers for on-line data processing in clinical monitoring and medical research, 299
Dosimeter, film badge, for UVA radiation, 63
Duty cycle, and carrier frequency, optimization of, for pulse modification of biological signals, 305
Echocardiographic study of the isovolumetric contraction time, 281
EEG-evoked, comparative frequency analysis of single, potential records, 9
Elbow joint, the Guildford, 205
Electrode, miniaturized glass, continuous tissue pH measurement in critically ill adults with a, 126
Electrocardiogram, a simple software routine for the reproducible processing of the, 216
Electrocardiogram, foetal, the use of labour profiles in assessing the behaviour of the, 221
Electrocardiograms, precise, use of a microprocessor to simulate, 61
Electropalatography: Thermo-formed pseudopalates and the use of three-dimensional display, 145

Electrophysiological methods for the study of human muscle, some, 290
Evoked potential records, single EEG, comparative frequency analysis of, 9
Fibre-optic liquid crystal catheter, a new, for oxygen saturation and blood flow measurements in the coronary sinus, 257
Film badge dosimeter for UVA radiation, 63
Finger joint loads, resultant, in selected activities, 285
Flexible signal-averaging system for cardiac waveform, 15
Foetal breathing activity, human, time series analysis of at 30-39 weeks gestation, 108
Fracture callus, comparison of the effects of intramedullary nailing or plating on the mechanical properties, 89
Free field pure tone audiometry as a comparative system for the assessment and fitting of hearing aids, 197
Gait measurements, simple kinematic, 129
Glass electrode, miniaturized, continuous tissue pH measurement in critically ill adults with a, 126
Guildford elbow joint, 205
Hand/arm prosthesis, a complete, an adaptive control system for, 163
Hearing aids, comparative system for the assessment and fitting of, free field pure tone audiometry as a, 197
Heart beat counter, a self contained digital, a versatile SAMI, 133
Heart rate meter, preamplifier circuit for, 224
Hip, total, replacement, dependence of stem stress in, on prosthesis and cement stiffness, 54
Hyperventilation in dogs, increasing levels of acute forced, systems analysis of renal response to, 25
Implant, micromechanical bonding at a porous surface structured, interface – the effect on implant stressing, 49
Improved approach for performance evaluation in lower extremity involvement, 121
Isovolumetric contraction time, echocardiographic study of the, 281
Joint, finger, resultant loads in selected activities, 285
Labour profiles, the use of, in assessing the behaviour of the fetal electrocardiogram, 221
Laplace transformations, a method of determining some non-standard, 137
Limbs, lower, microprocessor controlled system for evaluating treatments for disabilities affecting the, 45
Lower extremity involvement, performance evaluation in, an improved approach for, 121
Measurement of the ohmic electrode-tissue contact resistance and the voltage applied to myocardium, 3
Meter, heart rate, preamplifier circuit for, 224
Method of determining some non-standard Laplace transformations, 137
Microcomputers a distributed computer network using, for on-line data processing in clinical monitoring and medical research, 299
Micromechanical bonding at a porous surface structured implant interface - the effect on implant stressing, 49
Microprocessor controlled system for evaluating treatments for disabilities affecting the lower limbs, 45
Microprocessor-oriented long term intelligent monitoring of newborns, new concepts for a, 185
Microprocessor, use of a, to simulate precise electrocardiograms, 61
Mitral valve closure, the conditions of, 93
Monitoring of newborns, long term intelligent, new concepts for a micro-processor-oriented, 185
Muscle, human, some electrophysiological methods for the study of, 290
Muscle tissues, shear velocity of, 211
Myocardium, measurement of the ohmic electrode – tissue contact resistance and the voltage applied to, 3
Nailing, comparison of the effects of intramedullary, or plating on the mechanical properties of fracture callus, 89
Nerve fibres, peripheral, in transverse section, automated measurement of, 272
Newborns, monitoring, new concepts for a microprocessor-oriented long term intelligent, 185
New concepts for a microprocessor-oriented long term intelligent monitoring of newborns, 185
New fibre-optic liquid crystal catheter for oxygen saturation and blood flow measurements in the coronary sinus, 257
Non-invasive methods, computer evaluation of human circulation based on, 177
Ohmic electrode-tissue contact resistance, measurement of the, and the voltage applied to myocardium, 3
Omnigram, detection of preclinical coronary artery disease in male subjects using the, 113
Optimization of carrier frequency and duty cycle for pulse modification of biological signals, 305
Orofacial posture and movement providing linear, digital output, photo-electric recording of, 201
Oxygen saturation and blood flow measurements in the coronary sinus, a new fibre-optic liquid crystal catheter for, 257
Paraplegic swivel walker-clinical applications, 250
Performance, an improved approach for evaluation in lower extremity involvement, 121
Peripheral nerve fibres in transverse section, automated measurement of, 272
pH measurement, continuous tissue, in critically ill adults with a miniaturized glass electrode, 126
Phase spectral method, objective Auditory Evoked Potential (AEP) detection by the, signal statistics in, 310
Photo-electric recording of orofacial posture and movement providing linear, digital output, 201
Physiological, data recording/decoding system, a portable, 193
Plasma substitute, assessment of the potential use of anionic dextrans as a, 41
Plating, nailing, comparison of the effects of intramedullary, on the mechanical properties of fracture callus, 89
Portable aversion therapy stimulator, 135
Portable physiological data recording/decoding system, 193
Preamplifier circuit for heart rate meter, 224
Prosthesis and cement stiffness, dependence of stem stress in total hip replacement on, 54
Pseudopalates, thermo-formed, and the use of three-dimensional display, electropalatography, 145
Pure tone audiometry, free field, as a comparative system for the assessment and fitting of hearing aids, 197
Recording/decoding system, a portable physiological data, 193
Renal, response, systems analysis of, to increasing levels of acute forced hyperventilation in dogs, 25
Resultant finger joint loads in selected activities. 285
SAMI, a versatile, a self contained digital heart beat counter, 133
Signal, flexible averaging system for cardiac waveforms, 15
Signal statistics in objective Auditory Evoked Potential (AEP) detection by the phase spectral method, 310
Signals, biological, optimization of carrier frequency and duty cycle for pulse modification of, 305
Simple kinematic gait measurement, 129
Simple software for the reproducible processing of the electrocardiogram, 216
Shear velocity of muscle tissues, 211
Software routine, a simple, for the reproducible processing of the electrocardiogram, 216
Some electrophysiological methods for the study of human muscle, 290
Spatial structure and temporal growth of tumor cells, computer studies of the, 167
Speech recognition and control system for the severely disabled, 97
Step length measurement, apparatus for, 38
Stress, dependence of stem, in total hip replacement on prosthesis and cement stiffness, 54
Stressing, implant, micromechanical bonding at a porous surface structured implant interface – the effect on, 49
Swivel walker, the paraplegic, – clinical applications, 250
Systems analysis of renal response to increasing levels of acute forced hyperventilation in dogs, 25
System, microprocessor controlled, for evaluating treatments for disabilities affecting the lower limbs, 45
Thermo-formed pseudopalates and the use of three-dimensional display, electropalatography, 145
Time series analysis of human foetal breathing activity at 30-39 weeks gestation, 108
Tissue, continuous, pH measurement in critically ill adults with a miniaturized glass electrode, 126
Tumor cells, temporal growth of, computer studies of the spatial structure and, 167
Use of a microprocessor to simulate precise electrocardiograms, 61
Use of labour profiles in assessing the behaviour of the fetal electrocardiogram, 221
UVA radiation, film badge dosimeter for, 63
Valve closure, mitral, the conditions of, 93
Versatile SAMI – a self contained digital heart beat counter, 133